

What impacts health?









#### 74% increase in opioid deaths in Arizona since 2012



Drug overdoses\* take

more lives

than car crashes in Arizona

\*Includes overdoses from opioids, cocaine, meth, marijuana, and other illicit drugs.

# On June 5, 2017, Arizona Governor Doug Ducey declared a State of Emergency

due to an opioid overdose epidemic

# Governor Ducey Declares Statewide Health Emergency In Opioid Epidemic

**News Release** 

June 5, 2017 📑 💆 🕒

As the number of opioid overdoses and deaths increase at an alarming rate, we must take action."

**PHOENIX** — Governor Doug Ducey today signed an emergency declaration to address the growing number of opioid deaths in our state.

Alyssa Padilla

### Opioid Surveillance

#### June 15, 2017 – October 18, 2018

2,349

suspect opioid deaths

14,758

suspect opioid overdoses 1,393


neonatal abstinence syndrome 29,247

naloxone doses dispensed 7,949

naloxone doses administered

Updates posted at <a href="https://www.azhealth.gov/opioid">www.azhealth.gov/opioid</a>


# Verified Fatal Opioid Overdoses by Age & Gender: June 15, 2017-June 14, 2018




Alyssa Padilla


# Chronic pain was the most common pre-existing condition for overdoses determined to be due to opioids during review.

Reported Pre-Existing Conditions for Verified Opioid Overdoses: June 15, 2017-June 14, 2018







#### **Metro Phoenix**




#### **Metro Tucson**





#### **2017 Arizona Opioid Deaths**

#### **ADHS Bureau of Health Statistics**



#### 2017 Opioid Deaths, Bureau of Health Statistics

County	# of Opioid Deaths	Rate of Opioid Deaths/100,000
Apache	< 10	N/A
Cochise	17	13.2
Coconino	10	6.9
Gila	< 10	N/A
Graham	< 10	N/A
Greenlee	< 10	N/A
La Paz	< 10	N/A
Maricopa	576	13.6
Mohave	31	14.8
Navajo	< 10	N/A
Pima	176	17.1
Pinal	33	7.7
Santa Cruz	< 10	N/A
Yavapai	19	8.4
Yuma	< 10	N/A

#### Pima County June 15 – May 31, 2018

#### Suspected Opioid Overdoses by Outcome



by Age			
146 131 125 59 83 98 80 90 93 70 3 4 9 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			
0-14 15-17 18-24 25-34 35-44 85-54 55-64 65-74 DIRECTOR			
■ FEMALE ■ MALE			

Suspected Opioid Overdoses

Suspected Opioid Overdose by Location		
Location	Count	
Not Reported	999	
Business	20	
Health Care Facility	12	
Hospice/ Long Term Care	10	
Jail/Prison/Detention	2	
Other	8	
Other Private Residence	21	
Personal Residence (Home)	217	
Public Place	73	
School	2	
Shelter	3	
Substance Abuse Recovery	3	
Unknown	36	
Work	4	

Naloxone Dispensed		
Location	Count	
Jan-18	173	
Feb-18	460	
Mar-18	443	
Apr-18	444	
May- 18	643	

Neonatal Abstinence Syndrome: 163 Cases



#### Overdose Deaths in Pima County, 2017

- •Overdose accounted for 282 deaths (up from 263 in 2016)
- •Male (69%) v. female (31%)
- •Single drug (52%) v. multi-drug (48%)
- Overdose is the cause
  - •89 % (or 250) of accidental deaths
  - •8 % (or 23) of suicide deaths






2016 Medical Examiner Report

## Compared to...Pima County Overdose Deaths by Age-Group, 2016


#### Pima County Overdose Deaths by Age 2016





## Compared to...Pima County Overdose Deaths by Age-Group, 2017

#### Pima County Overdose Deaths by Age 2017





### http://rethinkrxabuse.org



#### Arizona Rx Toolkit

Strategy 1

Strategy 2

Strategy 3

Strategy 4

Strategy 5

Reduce Illicit Acquisition and Diversion of Rx Drugs

Promote Responsible Prescribing and Dispensing Policies and Practices

Enhance Rx Drug Practice and Policies in Law Enforcement

Increase Public Awareness and Patient Education about Rx Drug Misuse

Enhance Assessment and Referral to Substance Abuse Treatment Alyssa Padilla


### Prescribing Guidelines Update

Healthcare providers can request free printed guidelines online at

azhealth.gov/OrderRxGuidelines


or download online:

azhealth.gov/opioidprescribing



#### From Toolkit to Online Modules







Online courses offering free AMA PRA Category 1 Credit™ to help Arizona prescribers use pain management best practices.

www.VLH.com/AZPrescribing

Developed by AZ Prescription Drug Misuse & Abuse Initiative, AZ Department of Health Services, UA College of Public Health, AZ Center for Rural Health, UA College of Medicine


### vlh.com/AzPrescribing

#### REDUCING OPIOID DEATHS

#### **OUR PROGRESS**



# REDUCING OPIOID DEATHS OUR PROGRESS



#### **VISION**

To redefine pain + addiction as multidimensional, interrelated public health issues...

...a whole-person interprofessional approach with a community and systems perspective.

Arizona Pain + Addiction Curriculum Summit For Faculty <a href="https://www.surveymonkey.com/r/painandaddiction">https://www.surveymonkey.com/r/painandaddiction</a>

#### REDUCING OPIOID DEATHS

OUR PROGRESS: Task Force Recommendations

# Controlled Substances Prescription Monitoring Program (CSPMP)

- Improve registration process
- Implement CSPMP Add-on
- Enhance communication
- Enhance marketing/training
- Enhance staff support to optimize use of the CSPMP

https://pharmacypmp.az.gov/

#### **New Training Videos**

- How to register, use
- Understand patient report
- Look for Rx's filled
- Look up multiple patients at one time



#### Online Training

for using the Controlled Substances Prescription Monitoring Program website





Arizona opioid Epidemic act Senate bill 1001 Signed January 26, 2018

### Highlighted Provisions

- Good Samaritan Law
- \$10 million for treatment
- Hospitals to refer for behavioral health services
- Reporting of treatment capacity
- Medical student education
- Continuing education
- Warnings on pill bottles
- Time limits for prior authorization

- Restricts dispensing by prescribers, including veterinarians
- Pharmacists to check the PDMP
- E-prescribing in 2019
- Criminal penalties for fraud by drug manufacturers
- Counties designate one location to drop off legal or illegal drug & drug paraphernalia

### Prescribing Limits



Place a **5-day limit on initial opioid** prescriptions,
and 14 day limit following a
surgical procedure.

Limit would not apply to individuals being treated with opioids in the last 60 days


The probability of long-term opioid use increases most sharply in the first days of therapy, particularly after five days.

Limit opioid dose levels to less than 90 MME/day for most patients, with exemptions


A dose of 50 MME or more per day **doubles** the risk of overdose death, compared to 20 MME or less per day. At 90 MME or more, the risk increases **10 times**.

#### RESULTS

#### NUMBER OF OPIOID PRESCRIPTIONS




## RESULTS WE'RE SEEING GREAT PROGRESS



# RESULTS CHECKING THE CSPMP

Percentage of Prescribers who had "lookups" in the Controlled Substances Prescription Drug Monitoring Program (CSPMP) January 1, 2017-May 31, 2018 prior to prescribing




### **Treatment Locator** http://rethinkrxabuse.org

GENDER:



Treatment 85624 Results



Nogales

Luisillo

Naco

### http://dumpthedrugsaz.org





#### Take Action

#### PREVENT PRESCRIPTION DRUG MISUSE

### Lock Your Meds



Prevent your children from using your medication by securing it in a place your child cannot access.

# Take Inventory



Take inventory of the type and amount of medications you currently have and check regularly to ensure that nothing is missing.

# Proper Disposal



Dispose of medications at a community drop box site or disposal event.